

MKB-89-PL-IN

Mate Keyboard, Silicone rubber, 89 keys, w/Touchpad, Illuminated, Panel mount






FEATURES

- High quality silicone keyboard with function keys for easy operation
- Full sealed IP67 waterproof grade, sponge-able top surface
- Integrated with a tough sensitive industrial level touchpad with left and right clicking mouse buttons
- Excellent tactile feedback
- Custom layout and logo available with MOQ required
- Light weighted for easy mounting with cabinet or military rugged PC
- Suitable for ROV/UAV operation system(non-touchpad version is available in Mate's portfolio)
- High contrast red backlight with ON/OFF for dim working environment
- With four level brightness adjustable
- Durable and antimicrobial one-piece silicone cover with nano-Ag for inhibition of mold growth
- Standard USB plug-and-play


SPECIFICATION


Number of keys	89
Key Switch	Carbon switch technology
Switching cycles	5 million actuation
Touchpad	Capacitive type, X/Y resolution: >1,000 dots/inch (40 dots /mm)
Material	Silicone rubber
Interface	USB
EMC Standard	EN 55032:2015 , EN 55035:2017
Temperature Range	Operating: -20°C to +60°C, Storage: -40°C to +70°C
Compatibility	All Windows, Linux, Mac
Warranty	1 year
Certification	CE/FCC/ RoHS/IP67
Dimensions	285.0 x 179.7 (Front panel)
Weight	0.7kg


QUICK OPERATION



- Press  +  and when this button  is flashing, means the keyboard is locked and you can clean it without needing to unplug from your PC.

- Press  +  again and this button  stop to flash, means keyboard is unlocked.

- Press  to activate the combination numeric keys, "NumLK" LED will illuminated.





- Press  again, you can return to default.

- Press  +  to get right Ctrl.

- Press  +  to get right Alt.

- Press  +  to turn on the backlight.

- Press  +  to increase the brightness of backlight.

- Press  +  to reduce the brightness of backlight.

