MKB-89-PLM-USB-V2-6617

Mate Keyboard, Silicone rubber, 91 keys, w/Touchpad, Illuminated, Desktop version





91 keys(including 2 mouse buttons)IP68 dynamic sealed & durable mountable desk top version military silicone rubber keyboard with sealed and ruggedized touchpad for fast and accurate cursor position, with built-in

military grade PCB module, with carbon-on-gold key switch technology with key stroke (2.0±0.10mm) with

extremely good tactile feeling for fast and accurate data input without any noise, with durable coating keyboard surface withstand to most chemicals and liquids under harsh environment, With cleaning mode for easy cleaning via lock/disable whole keyboard without needing to take away the keyboard from PC, with PC+ABS housing solution with adjustable red backlight included.


FEATURES

1. IP68 dynamic scratch proof industrial military medical silicone keyboard with full keyboard functionalities.
2. With coiled tension relief USB cable
3. With multiple installation fixed interfaces: VESA 100, VESA 75, AMPS 30x38mm Hole*4
4. With Multi-touch capable touchpad.
5. With adjustable red backlit
6. Integrated holder slot. (Supports most international interfaces brackets)
7. Laser engraved layout, wear-resistant and anti stripping.

SPECIFICATION

Number of keys	91
Key Switch	Carbon switch technology
Switching cycles	5 million actuation
Touchpad	74 X 42mm sealed and ruggedized touchpad Capacitive type, X/Y resolution: >1,000 dots/inch (40 dots /mm)
Material	Silicone rubber
Interface	USB
EMC Standard	EN 55032:2015 , EN 55035:2017
Temperature Range	Operating: -40°C to +85°C, Storage: -45°C to +90°C
Compatibility	All Windows, Linux, Unix, Mac OSX, Vxworks, Android, (U-cos-To be confirmed)
Operating RH	100%
Atmospheric pressure:	60-106Kpa
Saline mist:	96 hours, IEC 60512-6
Damp heat test at +40℃:	21 days, IEC 60512-6
Dry heat test at +85℃:	10 days, IEC 60512-6
MTBF:	>20000H
MTTR:	<30min
Warranty	1 year
Certification	CE/FCC/ RoHS/IP68
Dimensions	297.73 x 191.83 x 26.80 (L*W*H)
Weight	0.9kg

DRAWING


74.01
148.61
176.67
191.83
282.18
297.73
88.82
116.10
6.30
26.78
29.78
R17.47
100.00
75.00
30.00mm
R6.39
100.00
75.00
38.00mm
M4*8 /12 pcs
150.49
41.27
R17.47
R17.47
126.01